





Station Code

MZ75

Recording Station


Uscerno

Network

Temporary network

	Year	Month	Day
First compilation	2016	10	01
Last update	1970	01	01

General Information



Geographical Information (1/2)

Location

Region	MARCHE
Province	Ascoli Piceno
City	MONTEGALLO
Place / Address	Montegallo, Frazione Uscerno. Via Uscerno 11
ISTAT Code	044038
Notes	




Location map (Italy and Region)


Geographical Information (2/2)

Coordinates

	Latitude	Longitude
Geographic (WGS84)	42.861357	13.384678
Elevation (m a.s.l.)	481	

Cartography






I.G.M.I. or C.T.R. map

Geomorphology

Site morphology


Plain	Valley (centre)	Valley (edge)	Alluvial fan
Saddle	Slope	Edge of scarp	Ridge

Landslides





Geology

Cartography



Microtremor H/V spectral ratio





Site classification (EC8 – NTC2008)

Lithostratigraphic classification

Estimated

Me	thod ¹	Soil clas	2	Notes
		A*		
1 Legend	GEO (Geological data Empirical correlation		
	ΗV	H/V spectral ratio		

Based on in-situ measurements

		Method ³	V _{s30} (m/s)		Soi	l class ²
2 Legend	A	Rock or other rock-like geolo weaker material at the surface	gical formation, including at most 5 m of $(V_{s30}{>}800 \text{ m/s}).$	3 Legend	СН	Cross-Hole
	В		ravel, or very stiff clay, at least several tens ized by a gradual increase of mechanical D-800 m/s).		DH	Down-Hole
	С	Deep deposits of dense or medium dense sand, gravel or stiff clay with thickness from several tens to many hundreds of m (V_{s30} =180–360 m/s).			ES	ESAC
-	D	Deposits of loose-to-medium cohesionless soil (with or without some soft cohesive layers), or of predominantly soft-to-firm cohesive soil (V_{s30} <180 m/s).			FK	FK
	E	A soil profile consisting of a surface alluvium layer with V _s values of type C or D and thickness varying between about 5 m and 20 m, underlain by stiffer material with V _s >800 m/s.			MW	MASW
					NW	NASW
Торо	gı	raphy classifica	ation		SH	SH-Refraction
Г	op	ography category ⁴			SW	SASW

 4
 T1
 Flat surface, isolated slopes and cliffs with average slope angle i≤15°.

 T2
 Slopes with average slope angle i>15°.

 T3
 Ridges with crest width significantly less than the base width and average slope angle 15°≤i≤30°.

 T4
 Ridges with crest width significantly less than the base width and average slope angle i>30°.

Synthesis of information

Information relevant to site classification		Notes
V _{s30} (m/s)		
Average N _{SPT} to 30m		
Average c_U to 30m (kPa)		
Site class (EC8 – NTC2008)	A*	
Topography category (EC8 – NTC2008)		

Geological, geomorphological and geomechanical information

Lithology

Morphology

Rock mass

Other information relevant to seismic site response

Depth to bedrock (m)

Average $V_{\rm s}$ to bedrock (m/s)

f₀ from H/V microtremors (Hz)

 f_0 from H/V earthquakes (Hz)

Distinctive features of site response